

CATALOGUE PAGES INSIDE



# FOCUSED on simplicity and quality

Available in white or ivory, Kaptika<sup>TM</sup> is a complete product designed with simplicity and seamless integration in mind, for installation in any location.



2 P+E socket outlet

## **SIMPLE TO CHOOSE**




▶ 1 Cat. No. = 1 complete product▶ 2 colours - white and ivory

## **SIMPLE TO SELL**



- Products are protected by individual, pegboard flow packs
- They are supplied in self-selling boxes for easier product visibility on the shelves

## SIMPLE TO INSTALL



- Claw or screw mounting (claw screws reusable)
- Compact mechanisms allow more space in the flush-mounting box





Two-way switch

## STRUCTURAL RIGIDITY



Reinforcements on the front and rear panels strengthen the product and ensure a sturdy fixing to the wall. The one-piece plate and mechanism provide greater robustness.

## **COMPLIANCE WITH STANDARDS** AND THE CE DIRECTIVE

- > Compliance with IEC 60884-1 for plugs and socket outlets
- **>** NF C 61-314
- The Kaptika<sup>TM</sup> range meets GOST standard requirements
- Compliance with IEC 60669-1 -Kaptika<sup>TM</sup> switches have been reliability tested to 40,000 operations for incandescent lamps and 10,000 operations for fluorescent lamps

## **GUARANTEED SAFETY**

- > The guarantee of Legrand's internationally acknowledged expertise
- > Socket outlets equipped with shutters for child protection




## FOCUSED on durable solutions for a customised environment

Equipped with all the essential functions, Kaptika is perfectly suited to regular installations.

All illuminated Kaptika switches are equipped with energy-efficient green LED indicator lights.



## **LED INDICATOR**



> Switches with LED indicators are environmentally-friendly, low-consumption (1 mA) and have a longer service life than those with a conventional indicator light. 40,000 control operations guaranteed.





2 P 2-gang socket outlet

Products shown in ivory finish

## Kaptika<sup>™</sup> white

## switches, socket outlets, telephone, data and television sockets











7 821 01 7 821 03

Conform to CE directive. Mechanisms supplied complete with cover plates and plates. Screw or claw mounting. White RAL R910 - Glossy finish





## **La legrand**



7 821 33



7 821 47






7 821 45

7 821 44

Conform to CE directive. Mechanisms supplied complete with cover plates and plates. Screw or claw mounting. Ivory RAL R113 - Glossy finish

Conform to CE directive. Mechanisms supplied complete with cover plat		
Pack	Cat.Nos	Switches 10 AX- 250 V√ NF
20	Ivory 7 821 30	One-way switch
20	7 821 34	Two-way switch
20	7 821 31	One-way switch with LED Supplied with a green LED 1 mA Connection as a locator function or as a status indicator
20	7 821 32	2-gang one-way switch
20	7 821 33	2-gang one-way with LED Supplied with a green LED 1 mA Connection as a locator function or as a status indicator on one circuit
20	7 821 59	2-gang two-way switch
		Push-buttons 6 A - 250 V $\sim$ NS
20	7 821 35	Push-button
20	7 821 36	Illuminated push-button
20	7 821 37	Illuminated push-button with bell symbol





## **□** legrand

## **Head office**

128, av. du Maréchal-de-Lattre-de-Tassigny 87045 Limoges Cedex - France

**a**: + 33 5 55 06 87 87 Fax: + 33 5 55 06 74 55